

# New Commercial Building Permit Application Packet

Please fill out each page completely. Initial any pages that do not require information. Insert documents where specified.

Phone: 770.704.1500 | 110 Academy Street | Canton, GA 30114

cantonga.gov



Building & Safety Services Department 110 Academy Street, Canton, Georgia 30114 770-704-0100

BUILDING PERMIT APPLICATION									
Site Address:						Ste./Lot #:			
Subdivision:				Project Name:					
Pod/Section:			Review #			Approval Date:			
Set Backs:(F)	(S) (R)	(C)		Tax Parcel #			Zoning		
		DES	CRIPT	ION OF WORK					
(Please mark all that appl	y) 🖸 RESIDENTIA	L 🛛 NON-RE	SIDE	ITIAL/COMMERCIA	AL.	D MULTI-F	AMILY		
New Construction Addition Repairs over \$300 Interior Finish Foundation Only Accessory structure				Demolish Exterior Renovations M Shell Only Other				Move Building	
		DESCF	RIPTIC	ON OF BUILDING					
(Please mark all that apply)     Office/Bank/Professional   Single Family   Apartments   Industrial   Institutional /Hospital   Hotel/Motel     Educational/School   Duplex   Condominium   Retail Store   Amusement /Recreation   Restaurant     City/County Owned   Townhouse   Historical   Service Station   Church/Assembly   Car Wash						Restaurant			
Existing SQFT:	New SC	2FT:		Sprinkler:	Y	N	Construction Type:		
Foundation Type:		Crawl Space		Split Level	Bas	ement	🛛 Fin	ished Basement	
Garage/Parking SQFT:		Covered Decks/Por	ches S	2FT:		Finished Base	ment SQF	Г:	
No. Stories:	No. of Units:	No. of Buildings:		No. Bedrooms:		No. Bathroom	S:	No. Driveways:	
Proposed Structure Im	pervious Area:	Proposed Sidewalk/	/Patio I	Impervious Area: Proposed Driv			/eway/ Parking Impervious area:		
Total Heated SQFT:		Total Non-Heated S	SQFT:	Gross SQFT o			f Building:		
Construction Cost: \$			Valuati	on: \$			Power Co:		
		GENERAL C	ONTR	ACTOR INFORMATI	ON				
Business License #: (attach Current Copy) Issuing Authority: Exp. Date:						9:			
Company Name:	Company Name: Phone:								
Address:							Fax:		
City				State			Zip Code		
Contact Person:							Cell Phone:		
Contractor's State License #:					Ex			Exp. Date:	
PROPERTY OWNER INFORMATION									
Land Owner of Record:									
Address:						Phone:			
City:			State:			Zip:			
SIGNATURE									
I hereby certify that I have read and examined this application and know the same to be true and correct. All provisions of laws and ordinances governing this type of work will be complied with whether specified herein or not. The site plan, which has been submitted, is true and accurate and the structure will be located within the allowable setbacks. The granting of a permit does not presume to give authority to violate or cancel the provisions of any other State or Local Law regulating construction or the performance of construction. This permit becomes null and void if work or construction authorized is not commenced within 180 days, or if construction or work is suspended or abandoned for a period of 180 days at any time after work is commenced. Final Foundation Survey required prior to framing of house. MINIMUM PERMIT FEE IS \$60.00 FOR RESIDENTIAL & \$110.00 FOR COMMERCIAL									
Signature of Applicant: Date:									
STAFF ONLY USE									
Application Date: Tech Initials Plan Revie				Permit Total Cost \$ Permit No:		0:			



#### Authorized Permit Agent Form (ONE FORM PER PERMIT)

This form may be used by a qualifying agent to designate an individual to obtain a permit on his/her behalf for a project for the qualifying company. The contractor should submit an original Authorized Permit Agent Form for each project for which he/she has designated an individual to pull permits. This designated individual shall further be identified as the authorized permit agent. This notarized form with an **ORIGINAL SIGNATURE** (no copies or faxes accepted), a copy of the contractor's license, a copy of the contractor's company license, and a copy of the driver's license of the authorized permit agent is to be given to the permit office in the city or county in which the project is located. **DO NOT SEND A COPY OF THIS FORM TO THE BOARD OFFICE UNLESS REQUESTED.** 

License verification by permitting office should be completed by visiting <u>http://verify.sos.ga.gov/verification</u>

Name of Qualifying Agent:	
Contractor License # (Attach a copy of license.)	
Name of Licensed Company:	
Company License # (Attach a copy of license.)	
Name of Authorized Permit Agent: (Attach a copy of driver's license.)	

#### **PROJECT** (an original form is required for each project):

Company listed on	
contract:	
Property Owner's	
Name:	
Street Address:	
Apartment or Suite #	
City, State, Zip:	

I hereby designate the above listed Authorized Permit Agent to apply for and obtain the permit(s) for the project listed above. The undersigned, being licensed as a qualifying agent, do hereby affirm and swear, under oath, that all information on this form and on accompanying documents are true and correct.

Original Signature of Qualifying Agent (no copies or faxes accepted)

State of \_\_\_\_\_ County of \_\_\_\_\_

NOTARY SEAL

SUBSCRIBED AND SWORN BEFORE ME ON THIS THE

\_\_\_\_\_DAY OF\_\_\_\_\_\_, 20 \_\_\_\_\_

NOTARY PUBLIC My Commission Expires:

Please fill out packet completely. Packet will need to be completed before a permit will be issued. *Initial any sheets that do not require a signature or other information.* 

#### Contractor

Insert the following: Copy of Business License – Must be current in the State of Georgia Copy of Contractor's License in the State of Georgia – Must be current Copy of Level 1A Card - Must be current Be sure the 2<sup>nd</sup> page in this packet is filled out completely and notarized



# Building & Safety Services Department

# Commercial FEE SCHEDULE

PLAN REVIEW FEE:
50% of Commercial Building Fee (#2 on this sheet)

(Minimum Fee of \$100.00 – Maximum Fee of \$2,500.00)

2. COMMERCIAL BUILDING FEE: (Total cost of construction) x 0.0050

(Minimum Fee of \$100.00)

3. COMMERCIAL FIRE PERMIT FEE (Gross Sq. Footage) x 0.015

(Minimum Fee of \$100.00)

4. COMMERCIAL CC / CO FEE (Gross Sq. Footage x \$75.00) x 0.0025

(Minimum Fee \$350.00 per unit / building)

- 5. COMMERCIAL FIRE CO FEE \$100.00 per unit / building
- 6. ENTRANCEWAY FEE \$25.00 for one entrance and \$15.00 for each additional entrance
- 7. TECHNOLOGY FEE \$10.00 per permit

(PERMITTING FEES WILL ALSO INCLUDE CURRENT IMPACT FEES)

cantonga.gov

Land Use Category	Unit of Measure	parks	fire	police	roads	admin	FEE
All Suites Hotel	room	0		18.9993	208.7202	10.98252	377.06602
Amusement Park	acre	0		345.5905	2743.0098	145.82985	5006.82515
Apartment	dwelling	2809.432271	538.956	76.9219	283.2632	111.25428	3819.827651
Apparel Store	square foot	0		0.0635	1.3859	0.05325	1.82765
Arena	acre	0	649.532	126.6491	1206.765	59.48846	2042.43456
Auto Parts Store	square foot	0	0.187	0.0365	1.1603	0.04151	1.42531
Automobile Sales	square foot	0	0.346	0.0581	1.0869	0.04468	1.53568
Bowling Alley	square foot	0	0.195	0.038	1.2068	0.04315	1.48295
Building Materials and Lumber Store	square foot	0	0.287	0.0534	1.5581	0.05691	1.95541
Cemetery	acre	0	15.868	3.094	181.331	6.00874	206.30174
Church/Place of Worship	square foot	0	0.1	0.0132	0.3492	0.0139	0.4763
Convenience Market (Open 24 Hrs)	square foot	0	0.351	0.0684	6.2871	0.20123	6.90773
Convenience Market w/Gas Pumps	square foot	0		0.0684	5.7631	0.18553	6.36803
Corporate Headquarters Building	square foot	0		0.1301	0.3127	0.03319	1.13899
Day Care Center	square foot	0	0.495	0.1071	0.3376	0.02815	0.96785
Discount Club	square foot	0		0.0493	1.0861	0.04169	1.43009
Drive-in Bank	square foot	0		0.1819	1.3883	0.0684	2.3486
Electronics Superstore	square foot	0		0.0365	0.518	0.02221	0.76371
Factory Outlet Center	square foot	0		0.0635	0.9174	0.03915	1.34505
Fast-Food Restaurant	square foot	0		0.4142	5.7058	0.24732	8.49132
Free-Standing Discount Store	square foot	0		0.0754	1.4873	0.05839	2.00409
Free-Standing Discount Superstore	square foot	0		0.0365	1.6213	0.05531	1.90011
Furniture Store	square foot	0		0.0158	0.0431	0.00423	0.14413
General Heavy Industrial	square foot	0		0.0695	0.0588	0.01458	0.49888
General Light Industrial	square foot	0		0.0877	0.2731	0.0243	0.8351
General Office Building	square foot	0		0.1262	0.4322	0.03618	1.24058
Golf Course	acre	0		9.333	182.4811	7.19035	246.86945
Hardware/Paint Store	square foot	0		0.0366	0.8739	0.03294	1.13144 0.1017
High-Cube Warehouse High-Turnover (Sit-Down) Restauant	square foot square foot	0		0.0029	2.0581	0.11382	3.90942
Home Improvement Superstore	square foot	0		0.2833	0.4062	0.01891	0.64861
Hospital	square foot	0		0.1116	0.4336	0.03529	1.21349
Hotel or Conference Motel	room	0		21.6491	348.009	14.72646	505.60656
Manufacturing	square foot	0		0.0681	0.1497	0.01712	0.58892
Medical-Dental Office Building	square foot	0		0.1541	1.4159	0.0708	2.4308
Mini-Warehouse	square foot	0		0.0029	0.098	0.00327	0.11317
Motel	room	0		16.7004	239.8153	11.85323	406.95993
Movie Theater	square foot	0		0.0558	2.8263	0.09526	3.26936
Nursery (Garden Center)	square foot	0	0.318	0.1185	2.3496	0.08364	2.86974
Nursery (Wholesale)	square foot	0	0.325	0.0633	1.3456	0.05205	1.78595
Pharmacy/Drugstore	square foot	0	0.325	0.0635	1.5345	0.05765	1.98065
Quality Restaurant	square foot	0	1.454	0.2835	1.456	0.09582	3.28932
Quick Lubrication Vehicle Shop	service bay	0	409.246	79.7969	1414.186	57.09688	1960.32578
Racquet/Tennis Club	square foot	0	0.071	0.0117	0.508	0.01773	0.60843
Recreational Community Center	square foot	0	0.164	0.0472	1.2245	0.04302	1.47872
Research and Development Center	square foot	0	0.571	0.1113	0.3178	0.02993	1.03003
Residential Condominium/Townhouse	dwelling	2809.432271	538.956	76.9219	247.4826	110.18088	3782.973651
Self-Service Car Wash	stall	0	38.976	7.5997	1840.1457	56.60168	1943.32308
Shopping Center	square foot	0	0.325	0.0635	1.3718	0.05285	1.81315
Single-Family Detached Housing	dwelling	2809.432271	538.956	76.9219	405.5136		3945.745551
Single-Tenant Office Building	square foot	0		0.1196	0.4565	0.03599	1.23509
Specialty Retail Center	square foot	0		0.0753	1.5292	0.05882	2.01732
Supermarket	square foot	0		0.0442	1.8727	0.06491	2.22881
Tennis Courts	acre	0		9.2674	588.7188	19.36547	664.88067
Tire Store	square foot	0		0.0486	0.7098	0.03027	1.03767
Tire Superstore	square foot	0		0.0486	0.7198	0.03057	1.04797
Warehousing	square foot	0		0.0348	0.1395	0.01264	0.43494
Wholesale Market	square foot	0	0.16	0.0311	0.1749	0.0109	0.3769



# Foundation Location Certificate

ha huilding an agaggger structure ag	a licensed builder in the City of Canton, Georgia hereby certify
ne building of accessory structure co	instructed at:
Street Address	Lot Number
Subdivision / Project Name	
Pod/Section Name	
	Shall not encroach into any recorded easement.
This	day of, 20
General Contractor (or Supervisor)	Signature
-	
Print or Type Name Clearly	
Company Name	

All recorded easements must be clearly identified on the lot at the time of the footing/monolithic slab inspection. A foundation location survey is required within 14 days of this inspection and must be approved thru planning and zoning before any other inspections can be scheduled.

#### CITY OF CANTON BUILDING & SAFETY SERVICES DEPARTMENT 110 Academy Street, Canton, GA 30114 Phone: 770-704-0100

#### State law requires compliance with the Georgia State Energy Code for Buildings.

Bu	ilder:
Su	b-division:
Ac	ldress:
Lo	
PLE	ASE CHECK THE METHOD USED TO GAIN COMPLIANCE:
	REScheck software or trade off worksheet Available on the US Dept. of Energy website at: <u>www.energycodes.gov</u>
	Chapter 4 approach of the IECC 2008 Edition with Georgia State Amendments
	Chapter 5 approach of the IECC 2008 Edition with Georgia State Amendments
	Chapter 6 approach of the IECC 2008 Edition with Georgia State Amendments
	"Single Step" Residential Energy Code Compliance (GA State Amendment).
	COMcheck software Available on the U.S. Department of Energy website at: <u>www.energycodes.gov</u>
	Chapter 7 approach of the IECC 2008 Edition with GA State Amendments
	Chapter 8 approach of the IECC 2008 Edition with GA State Amendments
	"Single Step" Commercial Energy Code Compliance (GA State Amendments)

As can be seen in Table 404.1.1b of the code, the minimum required foundation wall thickness for those applications which do not require design is 8 inches (203 mm). Footnote 2 permits a reduction in wall thickness to 6 inches (152 mm) as long as the reinforcing steel closer to the inside face of the wall, the effective depth of the wall element which resists bending is increased; therefore, the flexural capacity of the wall is increased. Placement of the reinforcement to achieve this reduction in wall thickness is shown in Figure 404.1.1c.





Figure 404.1.1c PLACEMENT OF REINFORCEMENT IN 6 INCH FOUNDATION WALLS For S1: 1 INCH = 25.4 MM

404.1.3 Backfill. A minimum distance above adjacent grade to which the foundation must be extended is necessary to provide termite protection and minimize the chance of decay resulting from moisture migrating to the wood framing. A reduced foundation extension is permitted when veneer is used.



### The City of Canton Building & Safety Services Department

The following is a list of items that are required for all commercial and multi-family dwellings by The City of Canton Building & Safety Services Department before the issuance of a building permit occurs. The list includes items that are required on submitted plans as well as items that are required after the building permit is issued.

- A certified set of stamped plans must be submitted and approved by the Building & Safety Services Department. The site plan is approved first, followed by structural plans and all other required plans. All approved plans are to be present on the job site during the construction phase.
- A construction permit fee is required to be paid to the Building & Safety Services Department. The fee is \$0.015 per square foot or \$100.00 minimum. The fee is to be paid to the building department at the time the approved plans are picked up. The building permit is issued at this time.
- A sprinkler system is required on all commercial buildings equal to or exceeding 3500 square feet and all multi-family dwellings. A sprinkler permit fee of \$1.00 per sprinkler head or \$100.00 minimum is required. Shop drawings of the sprinkler system must be submitted to the Building & Safety Services Department prior to installation. All piping in full NFPA 13 systems must be inspected before being installed.
- An 80% and 100% (CO) inspection is required for all structures before a certificate of occupancy shall be issued.
- > A list of codes and ordinances adopted by The City is available upon request.
- The Building & Safety Services Department inspectors reserve the right to conduct all necessary field inspections at any time.

Builder:

#### City of Canton Soil Erosion and Sedimentation Control Agreement

No inspections will be made if site is not in compliance. Notice of non-compliance will be issued followed by court citation if corrections are not made within three (3) working days. Reinspections fees will be assessed for each follow up inspection and doubled until permit revoked.

#### General Notes

- The construction pad shall be maintained in a condition which will prevent tracking or flow of mud on public streets.
- 2. Silt fences and hay bale barriers shall be cleaned or replaced and maintained in functional condition until permanent erosion control measures are established.
- 3. Silt fence fabric shall be comprised of GA Department of Transposition qualified products listed 36, for silt fence fabric.
- 4. All grassing shall be in accordance with Chapter 6, Section III "Vegetative Practices" of the Manual for Erosion and Sediment Control in Georgia.
- 5. All other work shall be performed in accordance with the same manual.
- 6. The contractor shall furnish the City of Canton with a schedule of anticipated starting and completion dates.
- 7. Erosion control devices will be in place before site disturbance and will be periodically inspected and repaired or restored as needed to function properly until permanent measures are established and project is completed, i.e.: construction exists and silt fences shall be retopped or cleaned as silt reduces their effectiveness.
- 8. Any additional construction other than shown on the original plan will require separate and additional soil erosion and sediment control measures and approval.
- 9. Temporary vegetation(grass seed & Straw) and/or heavy mulch will be used to stabilize all Distrubed areas except the footprint of structure and construction entrance. In no case shall a site be left bare for more than fourteen (14) days of clearning.
- 10. All stockpiles shall be covered with plastic or temporary vegetation until such stockpiles are replaced or removed.
- 11. All disturbed areas will be permanently landscaped and grassed as quickly as possible.
- 12. All work shall be performed in accordance with the specifications of the Manual for Erosion and Sediment: control in Georgia.
- 13. Additional measures may be required to control erosion as determined necessary by the City Inspector.

Person responsible for erosion control measures is;

# Georgia Energy Code Compliance Certificate

A certificate shall be readily accessible and posted on the electrical distribution panel or air handler. List primary type when there is more than one value for each component (i.e. certificate shall list the value covering the largest area). The certificate shall be completed by the builder or registered design professional.

# **Insert Here:**

Copy of Paid Water and Sewer Tap Application From City or County